Tuberculosis Prevention and Control in Canada

A presentation to the Stop TB Partnership Coordinating Board Meeting, July 11, 2013 Howard Njoo, MD, MHSc, FRCPC

Centre for Communicable Diseases and Infection Control



PROTECTING CANADIANS FROM ILLNESS





TB is a Global Issue


- One third of the world's population is infected with the TB bacillus
- Globally, an estimated 9 million cases of active TB disease develop every year
- The number of reported cases of active TB disease in Canada has remained relatively stable at approximately 1600 cases per year
- Resistant strains of TB are an emerging threat




Photograph: WHO/Sailendra Kharel

TB - Past and Present


Reported tuberculosis incidence and mortality rates - Canada: 1924-2011




Reported tuberculosis cases and incidence rates - Canada: 1991-2011




Tuberculosis incidence by province/territory as compared with the national rate (4.7 per 100,000): 2011



Number of reported tuberculosis cases by origin - Canada: 1991 - 2011



Distribution of TB cases with resistance to at least one first-line antituberculosis drug by origin: 2001 - 2011



Canada



- Canada is a federal state: 10 provinces and 3 territories.
- Healthcare and public health are shared responsibilities between the federal government and P/T governments.

Public Health Agency of Canada

Mission:

•To promote and protect the health of Canadians through leadership, partnership, innovation and action in public health.

Vision:

 Healthy Canadians and communities in a healthier world.











Role of the Public Health Agency of Canada in TB Prevention and Control

- Surveillance and epidemiology
 - » National surveillance of active TB disease and TB drug resistance
 - » Outbreak support to provinces and territories on request
- Professional guidelines and public health practice
 - » Canadian Tuberculosis Standards
 - » Community Health Workers Survey
- Laboratory support
 - » TB reference and diagnostic services
- Collaboration
 - » Domestic (e.g. provinces and territories)
 - » International (e.g. WHO, PAHO, CDC)

Key Publications



Moving Forward: Priority Areas for Action

- Focus efforts on reducing the burden of TB disease among Aboriginal Peoples and foreign-born individuals from high-incidence countries
- Work to address underlying risk factors for active TB disease
 - » Social determinants related to TB include poverty, inadequate and overcrowded housing, food insecurity and substance abuse
- Collaborate with domestic and international partners

Contact Information

Howard Njoo, MD, MHSc, FRCPC
Director General
Centre for Communicable Diseases and Infection Control
howard.njoo@phac-aspc.gc.ca