



Global Drug Facility Packaging Artwork Development Guidelines

version 2, Mar 2020

INTRODUCTION

- ▶ These guidelines have been drawn-up for the purpose of clarifying a corporate identity for Global Drug Facility (GDF) packaging and artwork development.
- ▶ The purpose of this document is to provide a consistent identification for all the anti-TB medicines supplied by GDF.
- ▶ It is important to follow these guidelines for overall uniformity and for ease of management through the standardization of the anti-TB medicines packaging and artwork.

▶ THE KEY ELEMENTS	PAGE 3
▶ TYPOGRAPHY	PAGE 14
▶ CONTACT INFORMATION	PAGE 15

Updated: 29.07.2020

Change history

1. Updated colour coding, limited only to Rifampicin containing fixed dosage combination products.
2. Removal of reference to obsolete products and updating of reference/sample artworks
3. Inclusion of reference to primary and secondary packaging

THE KEY ELEMENTS - THE LOGO AND ITS RED LINE

- ▶ The logo of GDF is inseparable from its red line.
- ▶ No modification of proportions can be made.
- ▶ No modification of design and the associated legal text can be made.
- ▶ The red line has no horizontal limit. It only follows the alignment designed by the organization of the zones.
- ▶ Refer to the below sample image on how to position the logo and the line in the layout.



MICRO LABS LIMITED, BANGALORE, INDIA						
1	Product Name	Linezolid Tablets 600 mg			Colours Used	
2	Strength	600 mg			<div style="display: flex; gap: 5px;"> <div style="width: 10px; height: 10px; background-color: red; border: 1px solid black;"></div> RED <div style="width: 10px; height: 10px; background-color: yellow; border: 1px solid black;"></div> PANTONE 136 C <div style="width: 10px; height: 10px; background-color: orange; border: 1px solid black;"></div> PANTONE 716 C <div style="width: 10px; height: 10px; background-color: black; border: 1px solid black;"></div> BLACK </div>	
3	Component	Carton				
4	Category	Export - India (GDF)				
5	Dimension	160 (L) x 75 (W) x 100 (H) mm				
6	Artwork Code	EXG-ML03C-				
7	Pharma Code	****				
8	Reason for Change	New				
		Prepared by (DTP)	Checked by (PD)	Approved by		
				Head CQA	Head Production/Packing (Site)	Head QC (Site)
Sign	Kantharaju L.					
Date	05-02-2020					

English+French+Spanish+Russian
DOMESTIC DESIGN

EXG-ML03C-

25 x 4 Film coated tablets

Linezolid Tablets 600 mg

25 x 4 film coated tablets

Linezolid Tablets 600 mg

25 x 4 comprimidos recubiertos

Linézolide Comprimés 600 mg

25 x 4 comprimés pelliculés

Linezolid Comprimidos 600 mg

25 x 4 comprimidos recubiertos

Линезолид, таблетки 600 мг

25 x 4 таблетки, покрытые пленочной оболочкой

25 x 4 Film coated tablets

Linezolid Tablets 600 mg

25 x 4 film coated tablets

Linezolid Tablets 600 mg

25 x 4 film coated tablets

Linezolid Tablets 600 mg

25 x 4 comprimidos recubiertos

Linézolide Comprimés 600 mg

25 x 4 comprimés pelliculés

Linezolid Comprimidos 600 mg

25 x 4 comprimidos recubiertos

Линезолид, таблетки 600 мг

25 x 4 таблетки, покрытые пленочной оболочкой

25 x 4 Film coated tablets

Linezolid Tablets 600 mg

25 x 4 film coated tablets

Linezolid Tablets 600 mg

25 x 4 comprimidos recubiertos

Linézolide Comprimés 600 mg

25 x 4 comprimés pelliculés

Linezolid Comprimidos 600 mg

25 x 4 comprimidos recubiertos

Линезолид, таблетки 600 мг

25 x 4 таблетки, покрытые пленочной оболочкой

160 mm

75 mm

LOCK BOTTOM

160 mm

75 mm

100 mm

Size : 160 (L) x 75 (W) x 100 (H) mm

Unvarnished area for 2D Barcode & Batch Details 75 (L) x 35 (H) mm

THE KEY ELEMENTS - THE GDF COLOUR CODE


- ▶ The Global Drug Facility programme continues with colour coding for Rifampicin containing first-line fixed dose combination drugs.
- ▶ To keep a simple “look and feel” and not overcrowd the layout, it was decided not to capitalize (upper case) these colours.
- ▶ Color coding applies to both primary and secondary packaging

Product	Pantone	C	M	YK
RHZE	185 C	0	95	100 0
RHE	148 C	0	28	47 0
RH150/75	802 C	94	0	100 0
RH 150/150	394 C	0	0	90 0
RH 75/50	802 C	94	0	100 0
RHZ 75/50/150	Rhodamine Red C	0	95	3 0

SLC048-1A

WHO Product Reference No. TB 192

Supplied through the Global Drug Facility. Not for Resale. / Fournis par le Global Drug Facility. Vente interdite.



Rifampicin 150 mg - Isoniazid 75 mg - Ethambutol 275 mg tablets

24 x 28

Film coated tablets/Comprimés pelliculés/Comprimidos recubiertos/Таблетки, покрытые оболочкой

Rifampicine 150 mg - Isoniazida 75 mg - Etambutol 275 mg comprimidos

Таблетки Рифампицин 150 мг - Изониазид 75 мг - Этамбутол 275 мг

Rifampicin 150 mg - Isoniazid 75 mg - Ethambutol 275 mg tablets

Rifampicine 150 mg - Isoniazide 75 mg - Ethambutol 275 mg comprimidos

Таблетки Рифампицин 150 мг - Изониазид 75 мг - Этамбутол 275 мг

Each film coated tablet contains:
Rifampicin BP 150 mg
Isoniazid BP 75 mg
Ethambutol Hydrochloride BP 275 mg
Approved colours used.

Dosage :
As directed by the physician. Store in a cool, dry place below 25°C, protected from light.
To be taken orally with water. Instructions for use : SEE PACKAGE LEAFLET, KEEP OUT OF THE REACH AND SIGHT OF CHILDREN.

Chaque comprimé pelliculé contient:
Rifampicine BP 150 mg
Isoniazide BP 75 mg
Etambutol Chlorhydrate BP 275 mg
Couleurs approuvées utilisées.

Posologie: Comme indiqué par le médecin. Conserver dans un endroit frais et sec en dessous de 25°C, à l'abri de la lumière.
Doit être pris par voie orale avec de l'eau.
Mode d'emploi: Voir la notice.

GARDER HORS DE LA PORTÉE ET DE LA VUE DES ENFANTS.

Cada comprimido recubierto contiene:
Rifampicina BP 150 mg
Isoniazida BP 75 mg
Clorhidrato de Etambutol BP 275 mg
Colorantes utilizados autorizados

Posología: Según las indicaciones del médico. Guarde en un lugar seco y fresco, a temperaturas que no excedan los 25°C. Proteger de la luz.
Para tomarse por vía oral con agua.
Instrucciones de uso: consulte el prospecto.

MANTENER FUERA DEL ALCANCE Y DE LA VISTA DE LOS NIÑOS.

Rifampicin 150 mg - Isoniazid 75 mg - Ethambutol 275 mg tablets

Rifampicine 150 mg - Isoniazide 75 mg - Ethambutol 275 mg comprimidos

Таблетки Рифампицин 150 мг - Изониазид 75 мг - Этамбутол 275 мг

Each film coated tablet contains:
Rifampicin BP 150 mg
Isoniazid BP 75 mg
Ethambutol Hydrochloride BP 275 mg
Approved colours used.

Dosage :
As directed by the physician. Store in a cool, dry place below 25°C, protected from light.
To be taken orally with water. Instructions for use : SEE PACKAGE LEAFLET, KEEP OUT OF THE REACH AND SIGHT OF CHILDREN.

Chaque comprimé pelliculé contient:
Rifampicine BP 150 mg
Isoniazide BP 75 mg
Etambutol Chlorhydrate BP 275 mg
Couleurs approuvées utilisées.

Posologie: Comme indiqué par le médecin. Conserver dans un endroit frais et sec en dessous de 25°C, à l'abri de la lumière.
Doit être pris par voie orale avec de l'eau.
Mode d'emploi: Voir la notice.

GARDER HORS DE LA PORTÉE ET DE LA VUE DES ENFANTS.

Cada comprimido recubierto contiene:
Rifampicina BP 150 mg
Isoniazida BP 75 mg
Clorhidrato de Etambutol BP 275 mg
Colorantes utilizados autorizados

Posología: Según las indicaciones del médico. Guarde en un lugar seco y fresco, a temperaturas que no excedan los 25°C. Proteger de la luz.
Para tomarse por vía oral con agua.
Instrucciones de uso: consulte el prospecto.

MANTENER FUERA DEL ALCANCE Y DE LA VISTA DE LOS NIÑOS.

Supplied through the Global Drug Facility. Not for Resale. / Fournis par le Global Drug Facility. Vente interdite.

WHO Product Reference No. TB 192

Suministrados a través del Global Drug Facility. No para la reventa. / Поставляется через Global Drug Facility. Не для перепродажи.


167(L) x 97(W) x 102(H) mm

Pantone 148 C

THE KEY ELEMENTS


▶ THE ORGANIZATION OF THE INFORMATION BY ZONES

- ▶ See page 6 to discover the guidelines for organizing the zones and the space on the main face of a packaging.



▶ THE ORGANIZATION OF THE 4 LANGUAGES

- ▶ Each packaging needs to be developed in 4 languages.
- ▶ See the following examples to discover how to position the languages in the layout.
- ▶ It is the responsibility of the Manufacturer to provide the relevant information and correct translation in the 4 required languages.



▶ THE NAME OF THE PRODUCT

- ▶ The names of all the products follow very clear rules and guidelines.
- ▶ See page 7 and examples to discover how to manage the names for each face of the packaging.
- ▶ See page 14 for the font.

▶ THE ICONS


- ▶ To animate the layout and help to understand the information, the packaging uses a range of icons according to the dosage form.
- ▶ See image on the right to discover the appropriate image for your product.




THE KEY ELEMENTS - THE ORGANIZATION OF THE INFORMATION BY ZONES

▶ THE FACE OF THE PACKAGING IS BUILT ACCORDING TO PREDETERMINED ZONES.

- ▶ The definition of a value (a) is the unit of measurement for a grid to fit the different zones and provide «breathing space».
- ▶ Each packaging has different sizes and each face has a role and contains some information. This item [a] is used to define the place to be dedicated to each element.
- ▶ Each element (Name, form info, product info, secondary info, manufacturing, branding, coloured band) are positioned in a zone. These zones are standardized in the layout.
- ▶ Define [a] with an appropriate unit of measurement relative to the size of the face or the size of the name's font, the height of the upper red band and the size of the GDF logo.



THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON THE FRONT FACE



1. Quantity per packaging - The dosage strength for a medicine should be expressed in an appropriate metric system unit.
2. The font is standardized (see page 14)
3. According to the amount of information, several implementations are possible (see examples)
4. This text is standardized in 4 languages and needs to be applied to the 4 faces of a box or on 1 face if the space is insufficient (see examples).

THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON THE BACK FACE

- ▶ Some elements: names, form info, icon and logo need to be positioned on each face of the packaging. The layout needs to be adapted to the size of the face or the available space.
- ▶ The layout should allow for inclusion of printing of Global Trade Item Number (GTIN).

Duplication of the form info and the icon of dosage form
If possible in the 4 languages.

Duplication of the names

Adaptation in 4 columns
of the contents in
4 languages

Adaptation of the legal text

Logo of the programme

24 x 28 | Film coated tablets / Comprimés pelliculés /
Comprimidos recubiertos / таблетки, покрытые оболочкой

Ethambutol 400 mg

Ethambutol Hydrochloride

<p>Each film cated tablet contains: Ethambutol Hydrochloride BP 400 mg, Methylparaben used as preservative. Approved colours used.</p> <p>Dosage: As directed by the physician.</p> <p>Intruccion for use: SEE PACKAGE BOOKLET. To be taken orally with water.</p> <p>Storage: Store in a cool, dry place below 25°C, protected from light.</p> <p>Keep out of the reach and sight of children.</p>	<p>Chaque comprimé pelliculé contient : L’Ethambutol chlorhydrate BP 400 mg, Methylparaben utilisé comme conservateur. Couleurs utilisées approuvées.</p> <p>Posologie: Comme dirigé par le médecin.</p> <p>Mode d’emploi: VOIR LE LIVRET. Par voie orale avec de l’eau.</p> <p>Conservation: Conserver dans un endroit frais et sec en dessous de 25°C, à l’abri de la lumière.</p> <p>Garder hors de la portée et de vue des enfants.</p>	<p>Cada comprimido recubierto contiene : Clorhidrato de Ethambutol BP 400 mg, Metilparabeno utiliza como conservante. Aprobado colores utilizados.</p> <p>Posología: según las indicaciones del médico.</p> <p>Instrucciones de uso: CONSULTE EL FOLLETO DEL PAQUETE. Por vía oral con agua.</p> <p>Almacenamiento : Guarde en un lugar fresco y seco a temperaturas que no exedan los 25 °C. Proteger de la luz.</p> <p>Mantener fuera del alcance y de la vista de los niños</p>	<p>Каждая таблетка содержит: The Этambutола гидрохлорид ВР 400 мг, метилпарабен, используемый в качестве консерванта. Утвержденные цвета используется.</p> <p>Дозировка: В соответствии с указаниями врача.</p> <p>Инструкции: Смотрите буклет. Перорально с водой.</p> <p>Хранение: Хранить в прохладном, сухом месте при температуре ниже 25 ° С, в защищенном от света. Хранить в недоступном для детей месте.</p>
---	---	--	--

Supplied through the Global Drug Facility. Not for Resale. / Fournis par le Global Drug Facility. Vente interdite.

Stop TB Partnership
GLOBAL DRUG
FACILITY

THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON OTHER FACES

► Example: product anti-TB medicine

The diagram illustrates the packaging artwork for Ethambutol 400 mg tablets, showing the main face, top face, and patient card with various annotations.

Main Face Annotations:

- Top face like the main face (if different) must to repeat the main information and branding elements.** (Points to the top face artwork)
- One face is reserved for the Manufacturer and distribution information.** (Points to the manufacturer logo and distributor information)
- Reserved zone for batch number and date of product manufacturing and expiry. This zone must not be vernished.** (Points to the lot, mfg, and exp. date fields)
- Logo and information about the manufacturer and distributor (if different)** (Points to the Stop TB Partnership logo)
- Form information in the main language: English** (Points to the patient card)
- It is recommended to reserve one face for the patient's card.** (Points to the patient card)

Complementary information zone by languages

- English
- French
- Spanish
- Russian

(per column or rows according to the content).

Translation of the Legal text on 2 faces.

The place and the organization of the logo block must follow the guidelines defined on page 5.

The main information in the 4 languages must to be present on the main face.

Logo of the manufacturer and distributor (if different)

Annotations on the Patient Card:

- Patient's TB treatment register number** (Numéro de registre du traitement TB du patient, TB número de registro del tratamiento del paciente, TB номер регистра лечение пациента)
- Patient's name** (Nom du patient, Nombre del paciente, Имя пациента)
- Age/Âge/Edad/sex**
- Weight/Poids/Peso/Bec**
- Sex/ Sexe/ Sexo/секс**
- Patient's address/Adresse du patient** (Dirección del Paciente/Адрес пациента)
- Nber of tablet per day/ Nbre de comprimés par jour/ Número de comprimidos al día/ Количество таблеток в день**
- Supervisor's name** (Nom du superviseur, Nombre del supervisor, Название надзорных органов)

THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON OTHER FACES

- ▶ **Example of secondary packaging**
- ▶ Some boxes contain a small quantity of medicine. The layout and the place of various elements must be adapted but always following the guidelines defined on page 7-9.
- ▶ The front face of the box must contain the main information in the 4 languages.
- ▶ It is also important to repeat on 5 faces of the packaging the following: names, form info – in the 4 languages, if space permits – dosage form and the icon.

English+French+Spanish+Russian DOMESTIC DESIGN

MICRO LABS LIMITED, BANGALORE, INDIA

1	Product Name	Linezolid Tablets 600 mg		Colours Used ■ RED ■ PANTONE 136 C ■ PANTONE 716 C ■ BLACK		
2	Strength	600 mg				
3	Component	Carton				
4	Category	Export - India (GDF)				
5	Dimension	160 (L) x 75 (W) x 100 (H) mm				
6	Artwork Code	EXG-ML03C-				
7	Pharma Code	****				
8	Reason for Change	New				
	Prepared by (DTP)	Checked by (PD)	Approved by			
			Head CQA	Head Production/Packing (Site)	Head QC (Site)	Head QA (Site)
	Sign	Kantharaju L.				
	Date	05-02-2020				

Linezolid Tablets 600 mg
25 x 4 film coated tablets

Linezolid Tablets 600 mg
25 x 4 comprimidos recubiertos

Linezolid Tablets 600 mg
25 x 4 comprimés pelliculés

Linezolid Tablets 600 mg
25 x 4 таблетки, покрытые пленочной оболочкой

Linezolid Tablets 600 mg
25 x 4 film coated tablets

Linezolid Tablets 600 mg
25 x 4 comprimidos recubiertos

Linezolid Tablets 600 mg
25 x 4 comprimés pelliculés

Linezolid Tablets 600 mg
25 x 4 таблетки, покрытые пленочной оболочкой

Linezolid Tablets 600 mg
25 x 4 film coated tablets

Linezolid Tablets 600 mg
25 x 4 comprimidos recubiertos

Linezolid Tablets 600 mg
25 x 4 comprimés pelliculés

Linezolid Tablets 600 mg
25 x 4 таблетки, покрытые пленочной оболочкой

Manufactured by/ Fabricante/ Fabricant/ Производитель
Micro Labs Limited Unit 3
92 Sipcot Industrial Complex,
Hosur-635 126, Tamil Nadu, India.
Mfg. Lic. No. / Пр. № лиц. /
Lic. Fab. N° / N° lic. fab.: TN00003934

CAUTION : Not to be sold by retail without the prescription of a Registered Medical Practitioner.

Supplied through the Global Drug Facility. Not for Resale.
WHO Product Reference No: TB323


Stop TB Partnership GLOBAL DRUG FACILITY

Dimensions: 160 mm (width), 75 mm (width), 100 mm (height), 75 mm (height)

Labels: Pasting Trap, LOCK BOTTOM

THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON OTHER FACES

► Example of secondary packaging requiring color coding



THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON OTHER FACES

► Example of primary packaging

Foil Width: 198mm

Rifampicin 150 mg / Isoniazid 75 mg / Pyrazinamide 400 mg / Ethambutol 275 mg Tablets 46237066

Rimstar®
Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg
SANDOZ A Novartis Division

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Manufactured by: **Sandoz Private Limited, India**
At: M/S Panacea Biotec Limited, Malpur, Baddi, Distt. Solan (H.P.)-173 205, India
© Novartis AG Basel, Switzerland. Trade mark owners.

Do not store above 25°C. Store in the original package in order to protect from moisture. Keep out of the reach of children
M. L. No.: L/15/1615/MB PYR400/Ex/Bf/0220/PAN-2

Supplied through the GLOBAL TB DRUG FACILITY : Not for Resale

WHO Product Reference No: TB090

Rifampicin 150 mg / Isoniazid 75 mg / Pyrazinamide 400 mg / Ethambutol 275 mg Tablets 46237066

Rimstar®
Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg
SANDOZ A Novartis Division

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Manufactured by: **Sandoz Private Limited, India**
At: M/S Panacea Biotec Limited, Malpur, Baddi, Distt. Solan (H.P.)-173 205, India
© Novartis AG Basel, Switzerland. Trade mark owners.

Do not store above 25°C. Store in the original package in order to protect from moisture. Keep out of the reach of children
M. L. No.: L/15/1615/MB PYR400/Ex/Bf/0220/PAN-2

Supplied through the GLOBAL TB DRUG FACILITY : Not for Resale

WHO Product Reference No: TB090

Rifampicin 150 mg / Isoniazid 75 mg / Pyrazinamide 400 mg / Ethambutol 275 mg Tablets 46237066

Rimstar®
Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg
SANDOZ A Novartis Division

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Manufactured by: **Sandoz Private Limited, India**
At: M/S Panacea Biotec Limited, Malpur, Baddi, Distt. Solan (H.P.)-173 205, India
© Novartis AG Basel, Switzerland. Trade mark owners.

Do not store above 25°C. Store in the original package in order to protect from moisture. Keep out of the reach of children
M. L. No.: L/15/1615/MB PYR400/Ex/Bf/0220/PAN-2

Supplied through the GLOBAL TB DRUG FACILITY : Not for Resale

WHO Product Reference No: TB090

Rifampicin 150 mg / Isoniazid 75 mg / Pyrazinamide 400 mg / Ethambutol 275 mg Tablets 46237066

Rimstar®
Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg
SANDOZ A Novartis Division

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Each film coated tablet contains:
Rifampicin Ph. Eur. 150 mg
Isoniazid Ph. Eur. 75 mg
Pyrazinamide Ph. Eur. 400 mg
Ethambutol
Hydrochloride Ph. Eur. 275 mg

Manufactured by: **Sandoz Private Limited, India**
At: M/S Panacea Biotec Limited, Malpur, Baddi, Distt. Solan (H.P.)-173 205, India
© Novartis AG Basel, Switzerland. Trade mark owners.


Do not store above 25°C. Store in the original package in order to protect from moisture. Keep out of the reach of children
M. L. No.: L/15/1615/MB PYR400/Ex/Bf/0220/PAN-2

Supplied through the GLOBAL TB DRUG FACILITY : Not for Resale

WHO Product Reference No: TB090

THE KEY ELEMENTS - THE POSITION OF THE ELEMENTS ON OTHER FACES

► Example of primary packaging requiring color coding



TYPOGRAPHY

- ▶ The font used for all the GDF packaging is the Helvetica Family

Helvetica Neue

Black

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Roman

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Light

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Helvetica Cyrillic

Bold

А Б В Г Д Е Ё Ж З И Й К Л М Н О П Р
С Т У Ф Х Ц Ч Ш Щ Ъ Ы Ь Э Ю Я
а б в г д е ё ж з и й к л м н о п р с т
у ф х ц ч ш щ ъ ы ь э ю я
0123456789

Plain

А Б В Г Д Е Ё Ж З И Й К Л М Н О П
Р С Т У Ф Х Ц Ч Ш Щ Ъ Ы Ь Э Ю Я
а б в г д е ё ж з и й к л м н о п р с
т у ф х ц ч ш щ ъ ы ь э ю я
0123456789

CONTACT INFORMATION

This document was designed by Stop TB Partnership - Global Drug Facility

- ▶ Postal address: **Stop TB Partnership
Global Health Campus,
Chemin du Pommier 40,
1218 Le Grand-Saconnex,
Geneva, Switzerland**
- ▶ Email: **gdf@stoptb.org**
- ▶ Website: **<http://www.stoptb.org/gdf/>**